



SYMBIOTIC
DEVICES

TMS - TDC & Accessories




Brainsight®

TMS




The world's leading neuronavigation system

- Brainsight TMS works with any coil from any manufacturer
- Allows flexible, easy coil calibration
- Define target based on anatomy, MNI or Talairach coordinates, MRI overlay, previous TMS session
- Links to TMS device via TTL trigger and serial port
- Integrated 2-channel EMG for mapping studies
- Simpler coil calibrations
- New subject-Image registration refinement step
- At each TMS pulse, Brainsight™ can record:
 - Coil position and orientation, coil status (on supported TMS models), intended target, positioning error, distance to target, EMG response, EEG response (when using NEUROPRAX EEG), NIRS optode locations, positioning error, distance to target, EMG response, EEG response (when using NEUROPRAX EEG), NIRS optode locations.



Brainsight includes Live EMG Display and 3D CAD import for realistic illustrations.



TMS Examination Chair and Accessories

SD Part Number	Description
KITHCH0401	<ul style="list-style-type: none"> · 4th Generation Subject Chair w. coil support arms · Fully upright or reclined · 2 Adjustable accessory arcs <ul style="list-style-type: none"> · Rotating & height adjustable · Integrated leg supports · 2 Articulated coil arms <ul style="list-style-type: none"> · Retractable arm rests · Left-right reversible chin and forehead rest
CHAIR0401	<ul style="list-style-type: none"> · Chair with base · Integrated leg supports <ul style="list-style-type: none"> · Rotating & height adjustable · Retractable arm rests <ul style="list-style-type: none"> · Fully upright or reclined
VBAR0401	<ul style="list-style-type: none"> · Vertical bar w. damped arc · Sliding arc w. slots for accessory block and starburst end <ul style="list-style-type: none"> · Height adjustable vertical bar w. dampened starburst · Height locking sleeve
ACCBK0401	Accessory block for arc
CHFORS0401	Chin and forehead rest
ARMTMS0501	Articulated arm w. threaded end (for custom use)
CFIXMAG0101	TMS coil to arm mount for Magstim 9925 Coil. Magstim 9925 or Alpha coil. Includes coil tracker mount.
CFIXMAG0201	TMS coil to arm mount for Magstim 3530 Coil. Magstim cooled coil w. air extractor. Includes coil tracker mount.
CFIXMAG0301	TMS coil to arm mount for Magstim 3190 Coil. Known as Remote coil or 2nd gen coil. Includes coil tracker mount.
CFIXMAG0401	TMS coil to arm mount for Magstim 3910 Coil. Also known as air-film coil. For TRAAMAG0501 for tracker fixation.
CFIXMAG0501	TMS coil to arm mount for Magstim 4102 Coil. Also known as D702 coil
CFIXUNI0101	Universal TMS coil to arm mount (flat). Attaches to straight handles (1-1.5" diam). Includes coil tracker mount
CFIXUNI0201	Universal TMS coil to arm mount (angled). Attaches to straight handles (1-1.5" diam). Includes coil tracker mount
ARMTMS0101	TMS Coil Arm with accessory block For Gen 1-3 frames

Brainsight Accessories

Brainsight®



SD Part Number	Description
CALTOL0101	Calibration Block w. 3 Spheres
SPHENDI0101	NDI Passive Sphere
HDTNHX0101	Elastic Head Strap, w. Subject Tracker Hex Mount
HDTNHX0201	Clear Lensed Glasses, w. 2 Subject Tracker Hex Mounts
PNTPAS0101	Passive Pointer w. 3 Passive Spheres
SDRR-NL0010	Brainsight® Subject Tracker, Adhesive
SDRR-NL0011	Brainsight® Subject Tracker, Adhesive
TRKNHX0101	Subject Tracker w. 3 Passive Spheres
TRKSHX0201	Secondary TMS Tracker w. 3 Passive Spheres
SDRR-NL0001	Hex Rod for Coil Tracker
SDRR-NL0002	Subject Tracker Hex Rod
SDRR-NL0003	Straight Hex Rod
SDRR-NL0004	Coil Tracker Hex Rod



CALTOL0101



SPHENDI0101



HDTNHX0101



Clear Lens Glasses w. Subject Tracker



PNTPAS0101



Subject Tracker, Adhesive



Tracker w. 3 Passive Spheres



SDRR-NL0001



SDRR-NL0003



Coil Tracker Fixation Accessories for BrainSight TMS Neuronavigation

Brainsight®



SD Part Number	Description
CRGMAG0101	TMS Tracker Coil Ring 2.5 cm for Custom and BI Magstim coils Magstim round handle (custom coils)
CRGMPRO201	TMS Tracker Coil Ring 3.2 cm for MagPro B65 A / P (active / sham) coil
TRAAMAG0301	Plastic Tracker Fixation Disk for Magstim 9925 Coil
TRAAMAG0401	Plastic Tracker Fixation Disk for Magstim 3190 Coil Known as Remote coil or 2nd gen coil
TRAAMAG0501	Plastic Tracker Fixation platform for Magstim 3910 Coil Also known as air-film coil Should be installed by qualified person
TRAAMAG0601	Plastic Tracker Fixation Platform for Magstim 3530 Coil Also known as air-cooled coil (air extractor model). Replaces CRGMAG0201
TRAAMAG0701	Plastic Tracker Fixation Disk for Magstim 4102 Coil Also known as D70-2 Coil
TRAAMAG0801	Plastic Tracker Fixation Disk for "new" Magstim 3190 Coil Remote coil with new light blue shell Also suitable for Magstim 4565 MT coil



CRGMAG0101



CRGMPRO201



Tracker Fixation Bolts



Adapter for Magstim 9925



Adapter for Magstim 3190V2



Adapter for Magstim 3190



Coil Fixation Platform

Calibration Jigs for BrainSight TMS Neuronavigation

SD Part Number	Description
CALBMAG0101	Calibration Jig for Magstim 9925 Coil Also known as Alpha Coil
CALBMAG0201	Calibration Jig for Magstim 3190 Coil Also known as 2nd gen Coil, or Remote coil
CALBMAG0301	Calibration Jig for Magstim 3910 Coil Also known as Air Film Coil - AFC
CALBMAG0401	Calibration Jig for Magstim 3530 Coil Also known as Air-Cooled Coil Note that due to inconsistent rubber gasket on coils, fit may be imperfect
CALBMAG0501	Calibration Jig for "New" Magstim 3190 Coil Remote Coil with new light blue shell
CALBMAG0601	Calibration Jig for Magstim 4565 Coil Remote coil with new light blue shell & Rubber bottom coating Also known as the MT Coil supplied with clinical rapid systems
CALBMAG0701	Calibration Jig for Magstim 9902 Coil Also known as the Double-cone Coil
CALBPRO0101	Calibration Jig for MagPro CB60 Coil
CALBPRO0201	Calibration Jig for MagPro Cool-B65 Coil
CALBDEY0101	Calibration Jig for Deymed non cooled Coil
CALBDEY0201	Calibration Jig for Deymed cooled Coil
CALBUNIV0101	Calibration Jig for Custom Coil Sliding registration pins



Calibration Adapter for Magstim 9925



Calibration Adapter for Magstim 3190



Calibration Adapter for Magstim 3910



Calibration Adapter for Magstim 4565

DuoMAG[®] XT-100

MAGNETIC | STIMULATOR

Touch-Screen Interface

Combined with intuitive software for ease of use. Built on a Windows platform, allowing full integration for third-party products such as neuro-navigation.

Counter-Balanced Coil Holder

The counter-weight balanced positioning arm and auto-locking position greatly reduces the effort required to find and secure the placement of coils.

User-friendly Coil Controls

Built-in controls allow full control over stimulation and intensity settings through the coil handle, removing the need for the user to divert their attention to external panels or triggers, and allowing the system to be used by a single operator.

Intelligent Charger

Built in to the rotating metal arm that holds the uses inductive charging technology to keep the headbox batteries at full capacity. This method of charging also maintains the optical battery-operated EMG for sensitive neurophysiological tests.

Combine with EMG/EEG

The DuoMAG family of stimulators can be integrated seamlessly with other Deymed systems, such as the TruScan EEG and TruTrace EMG/MEP systems.

Stimulator


The DuoMAG XT is a powerful and flexible magnetic stimulator built for ease-of-use in both research and clinical applications. The system can be controlled via the coil controls, a PC, or the DuoMAG touch-screen for ultimate usability.

Liquid-Cooling System

A modern and powerful liquid cooling system allows the coil to be used through the most intensive protocols during clinical and research protocols.

Special Developed Cart

Designed with robustness and space in mind, the carts small overall footprint, integral coil arm and large easy roll wheels means the DuoMAG XT is to fit into the most demanding environments.





DuoMAG[®] XT-100
MAGNETIC | STIMULATOR

The MagTower is an innovative, counter weight balanced coil holder for TMS. The MagTower significantly lowers the weight of the coils for use in any scenario where the user may otherwise struggle with maintaining difficult coil positioning, such as finding a motor threshold. Locking the coil position is achieved through the click of a button, and the touchscreen interface offers protocol design and control along with MEP visualisation of EMG signal.

Advantages of DuoMAG rTMS

Intelligent Charging

Deymed's new ultra-low capacitance induction charging technology guarantees the highest quality EMG signal possible for sensitive neurophysiological tests, while also keeping the system's batteries full.

Powerful System

Capable of intensive high frequency protocols for the most complex clinical, psychiatric and research uses, the DuoMAG XT-100 can reach 100 pps at 47% intensity.

Multi-system Integration

Integration with Deymed's clinical EMG and EEG amplifiers allows multiple configurations of EMG/MEP or EEG signals to be displayed. Deymed amplifiers are designed to eliminate all TMS stimulation artefacts.

Touch-Screen Interface

Combined with intuitive software for ease of use. Built on a Windows platform, allowing full integration for third-party products such as neuro-navigation.

Session and Patient Report

PDF reports can be generated for specific patients or sessions. 'Patient Report' shows a list of performed sessions, while 'Session Report' shows detailed information on performed stimulation protocols or MEP.

Counter-balanced Coil Holder

The MagTower cart with its counter-weight balanced positioning arm and auto-locking position greatly reduces the effort required to find and secure the placement of coils.

Cooled Coil

Deymed coils with double air-cooled fans or liquid-based systems allow for even the most intense TBS protocols to be used for extended periods without over-heating the system.

Custom Protocol Editor

The Custom Protocol Editor allows the user to save any conceivable protocol design, including customisable stimulation trains, Theta Burst Stimulation (iTBS-cTBS) protocols and changing stimulation intensities.

Magnetic Stimulation Coils for DuoMAG XT

SD Part Number	Description
70BF-LQC 60BF-LQC	Butterfly Coil 70mm and 60mm with liquid cooling Typical use: Focused long-term cortical stimulation, mainly for rTMS. Requires liquid-cooling unit 
70BFX-LQC	Butterfly overlapping Coil 70mm Typical use: Focused long-term cortical stimulation, mainly for rTMS. More comfort for the patient, due to coil design. Requires liquid-cooling unit 
90BFVT-LQC	Butterfly V cone Coil 90mm and 120° angled surface Typical use: Deep stimulation. Requires liquid-cooling unit 
70BF - Cool	Butterfly Coil 70mm with cooling fans Typical use: Focused long-term cortical stimulation, mainly for rTMS. Air Cooling  Option as Placebo. 
70BF	Butterfly Coil 70mm Typical use: Focused stimulation, mainly for rTMS. Option as Placebo. 
50BF	Butterfly Coil 50mm Typical use: Precision focused stimulation, mainly for rTMS.



* All coils have controls of intensity and stimulation

DuoMAG XT Magnetic Stimulation Coils



SD Part Number	Description
120BFVT	<p>Butterfly V Cone Coil 120mm with 100° angled surface</p> <p>Typical use: Deep spinal stimulation.</p>
50BFT	<p>Butterfly T-Shaped Coil 50mm</p> <p>Typical use: Precisely focused stimulation, for rTMS.</p>
30BFT	<p>Butterfly T-Shaped Coil 30mm</p> <p>Typical use: Precisely focused stimulation.</p>
100R	<p>Round Coil 100mm</p> <p>Typical use: Stimulation of peripheral nerves or cortical stimulation.</p>
125R	<p>Round Coil 125mm</p> <p>Typical use: Spinal stimulation.</p>



* All coils have controls of intensity and stimulation

Measuring and Modulating Brain Activity



Programmable direct and alternating current stimulator

The DC-Stimulator PLUS is a stimulator for use in scientific research that provides a stimulation with weak currents, either direct or alternating, (transcranial Electrical Stimulation tES), within non-invasive Interventional Neurophysiology. The electrical charge and current density applied through a constant current source are far below the threshold for releasing a stimulus. Depending on the duration, the used current, the current density, and the frequency the stimulation has a modular effect on existing neuronal elements by either activating or inhibiting cortical activity.

tDCS-PLUS System

SD Part Number	Description
301020	DC-Stimulator Plus, 1-channel, unipolar, bipolar, Instrument

Options / Accessories


301310	Set up study mode (blind operation), active and pseudo-stimulation (DCSM)
302010	MRI module for DC-Stimulator Plus, starter set / 35 MR, complete
303010	Trigger IN, connection of external Triggers, 1-channel (DCS, DCS Plus)
303011	Trigger Out, to control external devices, 1-channel (DCS Plus only)
303012	Signal Out tACS-EEG NP, Signal Output for connecting to NEURO PRAX® TMS / TDCS systems only (DCS Plus only)
303013	Signal Out tACS-EEG, Signal Output for connecting to EEG systems (DCS Plus only)
303014	Signal Out Monitor, Signal Output (DCS Plus only)

neuroConn
DC-STIMULATOR PLUS



tDCS-PLUS System

SD Part Number	Description
303020	Schedule, statistic mode for time dependent programming and logging (DCS Plus only)
303030	Remote, stimulation control via externally generated signals (DCS Plus only)
303040	Trigger MC, Trigger output to control external devices, 4-channel, optical (DCMC only)
303050	External Trigger Generator, linking of 2 or more Stimulators with Trigger IN (DCS, DCS Plus)
303070	Trigger Output Module DCMC, 8 channels, optical to electrical (BNC), 5m cable, transport case
304020	Study, study mode (blind operation), active and pseudo-stimulation (DCS, DCS Plus)
304041	Special Software Version (DCS MR) - 2mA@MRI
304050	MATLAB / .NET library for control of the DC-Stimulator MC
304060	MATLAB/.NET function for generating arbitrary stimulation waveforms for the DC-Stimulator MC
301030-21	DCS/DCMC MR Stimulator Cable
301030-22	Box Cable for DCSSMR/DCMCMR, 20m
301030-23	DCS/DCMC MR Electrode Cable
301030-24	Box Cable for DCSSMR/DCMCMR, 10m
301031-23	DCS/DCMC MR Electrode Cable 4 x 1 (Common Cathode)
301032-23	DCS/DCMC MR Electrode Cable 2 x 1 (Common Cathode)



DC-STIMULATOR MR System



neuroConn  DC-STIMULATOR MOBILE

DC-Stimulator Mobile

SD Part Number	Description
301200	DC-Stimulator Mobile, Set Of Devices "MINI", (1 x APCS, 1x PCD, 3 x EDSM, Software, Case)
301201	DC-Stimulator Mobile, Set Of Devices "MINI C", (1 x APCS, 1x PCD, 3 x EDSM, 1x COD, Software, Case)
301210	DC-Stimulator Mobile, Set Of Devices "BASIC", (2 x APCS, 2 x PCD, 6 x EDSM, Software, Case)
301211	DC-Stimulator Mobile, Set Of Devices "BASIC C", (2 x APCS, 2 x PCD, 2 x COD 4 x EDSM, Software, Case)
301220	DC-Stimulator Mobile, Set Of Devices "STIM EXTENSION 2" (2 x APCS, 4 x EDSM, Case)
301221	DC-Stimulator Mobile, Set Of Devices "STIM EXTENSION 1" (1 x APCS, 2 x EDSM, Case)
301230	DC-Stimulator Mobile, Set Of Devices "TIME EXTENSION" (4 x EDSM, Case)
301240	DC-Stimulator Mobile, Set Of Devices "STIM-ALONE EXTENSION 2" (2 x APCS, 2 x EDSM, 2 x COD, Case)
301241	DC-Stimulator Mobile, Set Of Devices "STIM-ALONE EXTENSION 1" (1 x APCS, 1 x EDSM, 1 x COD, Case)

Options / Accessories

301330	CE-compliant modification of DC-Stimulator Mobile (tDCS, up to 30min, max. 8 stimulation sequences)
301331	NON-CE compliant modific. of DC-Stimulator Mobile (CE0123 will be removed, tACS and tRNS possible, duration > 30min, max. 8 stimulation sequences)


Transcranial electrical stimulation for use in clinical routines

The DC-STIMULATOR MOBILE is delivered as a set of devices. The basic package can be supplemented as needed for different therapy situations.

301210 as shown



neuroConn 



Programmable, multi-channel direct, alternating and random noise current stimulator

The **DC-Stimulator MC** is a stimulator for use in scientific research that provides a stimulation using weak direct or alternating current (transcranial Electrical Stimulation tES) within non-invasive interventional Neurophysiology.

The multi-channel **DC-Stimulator MC** allows computer-controlled, full-band stimulation from independent electrical sources using any desired signal type in the range of 0-1,000 Hz and currents of between 50-4,000 μ A with a freely adjustable phase.

The **DC-Stimulator MC** can also be used during functional magnetic resonance imaging (fMRI) and, in addition, can be combined with the NEURO PRAX® TMS/tES allowing full-band DC-EEG to be recorded during multi-channel tES.

DC-Stimulator MC, MultiChannel

SD Part Number	Description
301050	DC-Stimulator MC, 4-channel, unipolar, bipolar, AC, Panel PC, equipment, complete
301060	DC-Stimulator MC, 8-channel, unipolar, bipolar, AC, Panel PC, equipment, complete
301070	DC-Stimulator MC, 16-channel, unipolar, bipolar, AC, Panel PC, equipment, complete

Options / Accessories

302011	MRI module for dual-channel stimulation with 2 DCSP / DCSP devices (1 DCSP minimum)
302020	MRI module for DC-Stimulator MC, 4-channel
302021	MRI module for DC-Stimulator MC, 8-channel
302022	MRI module for DC-Stimulator MC, 16-channel
303000	Power Supply Extension, rechargeable, not MR compatible (for DC-Stimulator MC systems)

TDCS Accessories

Electrode Kits

SD Part Number	Description
SDNC-K0001	Equipment Electrode set / 25 MR, Kit
SDNC-K0002	Equipment Electrode set / 35 MR, Kit
SDNC-K0003	Equipment Electrode set / MC4 / 25, Kit
SDNC-K0004	Equipment Electrode set / MC4 / 25 MR, Kit
SDNC-K0005	Equipment Electrode set / MC4 / 35, Kit
SDNC-K0006	Equipment Electrode set / MC4 / 35 MR, Kit
SDNC-K0007	Equipment Electrode set / MC4 / 9, Kit
SDNC-K0008	Equipment starter set / 100, Kit
SDNC-K0009	Equipment starter set / 25, Kit
SDNC-K0010	Equipment starter set / 35, Kit
SDNC-K0011	Equipment starter set / 50, Kit
SDNC-K0012	Equipment starter set / 9, Kit
SDNC-K0014	Equipment value pack / 25, pack of 10, Kit
SDNC-K0015	Equipment value pack / 25, pack of 5, Kit
SDNC-K0016	Equipment value pack / 35, pack of 10, Kit
SDNC-K0017	Equipment value pack / 35, pack of 5, Kit
SDNC-K0018	Equipment value pack / 9, pack of 10, Kit
SDNC-K0019	Equipment value pack / 9, pack of 5, Kit

neuroConn 



SDNC-K0009



SDNC-K0010



SDNC-K0011



SDNC-K0012

TDCS Accessories

Rubber Electrodes

neuroConn 

SD Part Number	Description	Qty
SDNC-SE0001	Rubber Electrodes (approx. 10 x 10cm / 100cm ²)	Pair
SDNC-SE0002	Rubber Electrodes (approx. 3 x 3cm / 9cm ²)	Pair
SDNC-SE0003	Rubber Electrodes (approx. 5 x 10cm / 50cm ²)	Pair
SDNC-SE0004	Rubber Electrodes (approx. 5 x 5cm / 25cm ²)	Pair
SDNC-SE0005	Rubber Electrodes (approx. 5 x 7cm / 35cm ²)	Pair
SDNC-SE0006	Rubber Electrodes, ca. 100mm x 100mm (area: ca. 100cm ²)	Pair
SDNC-SE0007	Rubber Electrodes, ca. 140mm x 70mm (area: ca. 98cm ²)	Pair
SDNC-SE0008	Rubber Electrodes, ca. 50mm x 30mm (area: ca. 15cm ²)	Pair
SDNC-SE0009	Rubber Electrodes, circular, dia: ca. 10mm (area: ca. 0.8cm ²) without hole	Pair
SDNC-SE0010	Rubber Electrodes, circular, dia: ca. 20mm (area: ca. 3cm ²) without hole	Pair
SDNC-SE0011	Rubber Electrodes, circular, dia: ca. 25mm (area: ca. 5cm ²) without hole	Pair
SDNC-SE0012	Rubber Electrodes, circular, dia: ca. 25mm (area: ca. 5cm ²) without hole	Pair
SDNC-SE0013	Rubber Electrodes, circular, dia: ca. 34mm (area: ca. 9cm ²) without hole	Pair
SDNC-SE0014	Rubber Electrodes, circular, dia: ca. 45mm (area: ca.16cm ²) without hole	Pair
SDNC-SE0015	Rubber Electrodes, circular, dia: ca. 75mm (area: ca. 44cm ²) without hole	Pair
SDNC-SE0016	Rubber Electrodes, circular, dia: ca. 80mm (area: ca. 50cm ²) without hole	Pair
SDNC-SE0017	Rubber Electrodes, circular, dia: out 75 / in 20mm (area: ca. 41cm ²), with hole	Pair
SDNC-SE0018	Rubber Electrodes, circular, dia: out ca. 100mm / in ca. 70mm (area: ca. 40cm ²), with hole	Pair
SDNC-SE0019	Rubber Electrodes, circular, dia: out ca. 100mm / in ca. 75mm (area: ca. 40cm ²), with hole	Pair
SDNC-SE0020	Rubber Electrodes, circular, dia: out ca. 110mm / in ca. 90mm (area: ca. 31cm ²), with hole	Pair
SDNC-SE0021	Rubber Electrodes, circular, dia: out ca. 45mm / in ca. 15mm (area: ca. 14cm ²), with hole	Pair
SDNC-SE0022	Rubber Electrodes, circular, dia: out ca. 48mm/ in ca. 24mm (area: ca. 15cm ²), with hole	Pair
SDNC-SE0023	Rubber Electrodes, circular, dia: out ca. 75mm / in ca. 30mm (area: ca. 37cm ²), with hole	Pair
SDNC-SE0024	Special sizes of Rubber Electrodes	Ea
SDNC-SE0039	MRI-compatible Rubber Electrodes (approx. 3 x 3cm / 9cm ²)	Pair
SDNC-SE0040	MRI-compatible Rubber Electrodes (approx. 5 x 10cm / 50cm ²)	Pair
SDNC-SE0041	MRI-compatible Rubber Electrodes (approx. 5 x 5cm / 25cm ²)	Pair
SDNC-SE0042	MRI-compatible Rubber Electrodes (approx. 5 x 7cm / 35cm ²)	Pair




SDNC-SE0002



SDNC-SE0004



SDNC-SE0005



SDNC-SE0003



SDNC-SE0010

TDCS Accessories

Cables

SD Part Number	Description	Length	Qty
SDNC-CC0001	Connection cables for Rubber Electrodes, 1-channel	approx. 1.5 m	Pair
SDNC-CC0002	Connection cables for Rubber Electrodes, 1-channel	approx. 2 m	Pair
SDNC-CC0003	Y - Connection cables for Rubber Electrodes, 1-channel	approx. 1.5 m	Pair
SDNC-CC0004	Extension of Connection Cables for Rubber Electr. 1-ch	10 m	Pair
SDNC-CC0005	Extension of Connection Cables for Rubber Electr. 1-ch	5 m	Pair
SDNC-CC0006	Extension Rubber Strap combination for fixing Rubber Electrodes to the head	-	Set
SDNC-CC0007	Pair of Electrode Cables	approx. 1.5 m	Pair
SDNC-CC0020	Electrode Cable DC-Stimulator MR	approx. 90cm	Ea

neuroConn 



SDNC-CC0001




SDNC-CC0020

Fasteners


SD Part Number	Description	Qty
SDNC-SE0025	Rubber Head Strap Fasteners	10 / pack
SDNC-SE0026	Rubber Strap combination for fixing Rubber Electrodes to the head	Set
SDNC-SE0027	Rubber Strap for Rubber Electrodes	Ea
SDNC-K0023	Velcro Strip Combination for fixing Rubber Electrodes to the head	Set



SDNC-SE0026



SDNC-K0023



TDCS Accessories



Sponge Pads

SD Part Number	Description	Qty
SDNC-SE0028	Special sizes of sponge Pads	Ea
SDNC-SE0029	Sponge Pads for Rubber Electrodes (approx. 10 x 10cm / 100cm ²) Red-Blue	Pair
SDNC-SE0030	Sponge Pads for Rubber Electrodes (approx. 10 x 10cm / 100cm ²) Red-Blue	10 Pair
SDNC-SE0031	Sponge Pads for Rubber Electrodes (approx. 3 x 3cm / 9cm ²) Red-Blue	Pair
SDNC-SE0032	Sponge Pads for Rubber Electrodes, (approx. 3 x 3cm / 9cm ²) Red-Blue	10 Pair
SDNC-SE0033	Sponge Pads for Rubber Electrodes (approx. 5 x 10cm / 50cm ²) Red-Blue	Pair
SDNC-SE0034	Sponge Pads for Rubber Electrodes (approx. 5 x 10cm / 50cm ²) Red-Blue	10 Pair
SDNC-SE0035	Sponge Pads for Rubber Electrodes (approx. 5 x 5cm / 25cm ²) Red-Blue	Pair
SDNC-SE0036	Sponge Pads for Rubber Electrodes (approx. 5 x 5cm / 25cm ²) Red-Blue	10 Pair
SDNC-SE0037	Sponge Pads for Rubber Electrodes (approx. 5 x 7cm / 35cm ²) Red-Blue	Pair
SDNC-SE0038	Sponge Pads for Rubber Electrodes (approx. 5 x 7cm / 35cm ²) Red-Blue	10 Pair



SDNC-SE0029



SDNC-SE0031



SDNC-SE0032



SDNC-SE0033



SDNC-SE0036

NOTES



TMS SOLUTIONS

Symbiotic Devices can assist you with selecting the right equipment for your analysis and provides training and support.

Symbiotic Devices was founded in 2012 on a passion not only for neuroscience and neurotechnology, but also to provide clients with uncompromised quality, reliability and assistance. Striving to contribute to a sustainable successful research and clinical sectors across Australia and New Zealand, Symbiotic Devices aims to balance quality, accessibility and customisation.

We know that each neurophysiology project will present unique challenges, and our wide range of partners means we are able to provide customised and dynamic solutions to fit our client's needs.

First partnering with Brain Products, EasyCap and Rogue Research, Symbiotic Devices now proudly represents CED, Deymed, Cadwell, NeuroConn/NeuroCare, Rhythmlink, Pearl Technology and VPixx.

If you want the best solutions for your neuroscience and neurophysiology needs, you can trust Symbiotic Devices to provide the highest quality equipment, applications and support while contributing to a sustainable and ethical future for neuroscience practices.



SYMBIOTIC
DEVICES

au 1300 934 947 nz 09 886 4877
team@symbioticdevices.com.au

Unit 6, 105-111 Ricketts Rd,
Mount Waverley, VIC 3149

www.symbioticdevices.com.au



Contact us

team@symbioticdevices.com.au | Ph: 1300 934 947